



CSI: Division: 22 00 00—PLUMBING  
Section: 22 13 16 – Sanitary Waste and Vent Piping

Product certification system:

The ICC-ES product certification system includes testing samples taken from the market or supplier's stock, or a combination of both, to verify compliance with applicable codes and standards. The system also involves factory inspections, and assessment and surveillance of the supplier's quality system.

Products: PVC Cellular Core DWV Pipe

Listee: Genova USA  
1760 W. Associated Ave.  
Salt Lake City, UT 84104  
[www.genovaproducts.com](http://www.genovaproducts.com)

Additional Listee:

Plastic Services & Products, LLC (PSP)  
1760 W. Associated Ave.  
Salt Lake City, UT 84104  
[www.psppipe.com](http://www.psppipe.com)

Compliance with the following codes:

2021, 2018, 2015, 2012, and 2009 *International Plumbing Code*® (IPC)  
2021, 2018, 2015, 2012, and 2009 *International Residential Code*® (IRC)  
2021, 2018, 2015, 2012 and 2009 *Uniform Plumbing Code* (UPC)\*  
2017 *Uniform Illustrated Plumbing Code – India*™ (UIPC)\*  
2021, 2018, 2015, and 2012 *National Standard Plumbing Code* (NSPC)\*\*  
2019 and 2016 *California Plumbing Code* (CPC)\*  
2020 and 2017 *City of Los Angeles Plumbing Code*  
2017 *Code of Massachusetts Regulations 248 CMR 10.00: Uniform State Plumbing Code*

*\*Copyrighted publication of the International Association of Plumbing and Mechanical Officials*

Compliance with the following standards:

ASTM F891-2016, Standard Specification for Coextruded Poly (Vinyl Chloride) (PVC) Plastic Pipe with Cellular Core  
NSF/ANSI 14-2020, Plastics Piping System Components and Related Materials

## Identification:

**Piping:** The piping shall be marked every 5 feet (1.5 m) with the following:

- a) Manufacturer's name or trademark.
- b) Standard designation, ASTM F891.
- c) The wording "COEXTRUDED CELLULAR CORE PVC PIPE.
- d) Marking for identification of each series shall be as follows: IPS Schedule 40 Series Coextruded Cellular Core PVC DWV Pipe, PS-25 or 50 or 100 Series Coextruded Cellular Core PVC Communication Conduit, and Sewer and Drain Series Coextruded Cellular Core PVC Sewer and Drain, or Highway Underdrain Pipe.
- e) Nominal pipe size and series (for example: 1 1/4 in. IPS Schedule 40 series).
- f) "DWV pipe".
- g) Date or date code of manufacture; and
- h) ICC-ES PMG mark of conformity.

## Installation:

PVC Cellular Core DWV pipe must be installed in accordance with the manufacturer's published installation instructions, the applicable codes and this listing. Where differences exist, the instructions in this listing must govern.

## Models:

PVC Cellular Core DWV Plain End

1-1/2", 2", 3", and 4" DIA.

PVC Cellular Core DWV Bell End

3" and 4" DIA.

## Conditions of Listing:

1. PVC Cellular Core DWV pipe must be installed in accordance with the manufacturer's published installation instructions, the applicable codes and this listing. Where differences exist, the instructions in this listing must govern
2. Pipe recognized in this listing are manufactured under a quality control program with surveillance inspections by ICC-ES.